

Domestic Drainage & Landscaping Systems





#### ACO House & Garden Range Overview

## Contents

Channel Drainage 31 Brickslot 37 Threshold Drainage Landscaping Systems 47 53 Domestice Stormwater Control 59 Roof Drainage 63 Shower Drainage 69 Blue Green Roofs



Plastic / Composite Aluminium



Grating Choice





Hydraulic Capacity













#### **Load Classes**

## What will go over your drainage system?

The table shows different load classes and typical uses.

Most domestic projects would only require the first three of these. For driveways we would recommend at least B 125 but may need more.

For example, are heavier vehicles likely to use the driveway at some stage? If this is the case then C 250 may be more appropriate.

A few more details like specific location requirements, aesthetics and, will anything other than water go into it will also need to be addressed.

For help with this please visit www.aco.co.uk/askaco

Load Class	EN 1433	Typical uses
A 15	A 15	Pedestrian and cycleways.
B 125	B 125	Pedestrian precincts, light vehicles, private car parks and drives.
C 250	C 250	Parking areas, service stations (cars) and slow-moving light commercial vehicles.
D 400	D 400	Public Highways, parking areas for all types of vehicles.
E 600	E 600	Industrial areas, heavy wheel loads, slow-moving HGV's and forklifts, service stations.
F 900	F 900	Airport runways, very heavy industrial and military installations, service yards and lorry parks.
K3	К3	Areas without vehicular traffic, such as dwellings, commercial and some public buildings.



# Channel Drainage

A linear drainage system that incorporates a channel together with a grating. Designed to gather surface water run off.



www.aco.co.uk











Channel Drainage



## The ideal drainage channel for domestic applications

High quality polypropylene channel, suitable for pedestrian and cycle traffic up to Load Class A 15

ACO HexDrain®

Channels clip together for quick and easy installation

- A choice of eight gratings are available to suit your decorative requirements
- Applications: Pedestrian precincts, block paving, patios, paths and garage threshold















Leafguard





end cap





Downpipe connector □65mm

Downpipe connector Ø68mm

Sump unit

Closing end cap

Ø110mm outlet connector









## The ideal drainage channel for domestic applications

■ High quality polymer concrete channel, suitable for pedestrian and cycle traffic up to Load Class A 15

ACO RainDrain®

Channels interlock for quick and easy installation

- A choice of eight gratings are available to suit your decorative requirements
- Applications: Pedestrian precincts, block paving, patios, paths and garage threshold





Sump unit with silt bucket



Corner unit with galvanised steel grating



Closing end cap



Ø110mm outlet end cap



Ø110mm horizontal foul air-trap



Ø110mm drain union



# 'Complete the Look' Gratings

Enhance your patio or driveway with ACO's elegant and modern 'Complete the Look' gratings. Perfect for adding the finishing touches to an installation, or as an upgrade. Designed to be used with ACO HexDrain® and ACO RainDrain®.

Use our ACO visualiser to see how the Complete the Look gratings will look at your home by scanning the QR code.

www.aco.co.uk



# Wedge Wire

Add prestige and value to your patio with the contemporary elegance of ACO's Stainless Steel Wedge Wire grating.

Complete The LOOK



# Mosaic Heelguard™ ATec





# Intercept Iron Heelguard™ ATec





# Antique Iron Heelguard™ ATec

Add character to your driveway or patio with ACO's improved Antique Iron Heelguard™ grating, now with ATec coating.

Visualise your project visit www.aco.co.uk/completethelook

complete The work



## Polished Stainless Steel





## Anthracite

High quality looks can be achieved with the versatile Anthracite grating.





# Easyline H50

#### Low profile plastic drainage channel for domestic applications



Channel Drainage

- Ideal for domestic installations where a low profile channel is required such as balconies, facades and thresholds
- Available in a black plastic channel and matching grating or with a galvanised steel grating

Quick and easy to install, including interlocking joints between channels for straight-run and rightangle installation











Vertical outlet

Endcap



### ACO HexDrain® B 125

#### The ideal drainage channel for light duty applications

- High-quality polypropylene channel, suitable for vehicle traffic up to Load Class B 125
- Drainlock technology allows quick and simple installation of gratings
- Corrosion resistant black composite Heelguard™ grating
- Applications: Driveways and small private car parks









Ø110mm vertical outlet connector



Ø110mm roddable foul air-trap



silt bucket



#### ACO RainDrain® B 125

#### The ideal drainage channel for light duty applications

- High quality polymer concrete channel, suitable for vehicle traffic up to Load Class B 125
- Channels interlock for quick and easy installation
- Supplied with cast iron Heelquard<sup>™</sup> ATec grating for Load Class B 125
- Applications: Driveways and small private car parks













silt bucket



cast iron steel grating



Closing end cap



Ø110mm outlet end cap



Ø110mm horizontal foul air-trap



Ø110mm drain union







■ High quality, high strength polypropylene channel, suitable for light to

medium duty traffic up to

ACO HexDrain® Pro

Drainlock technology allows quick and simple installation of gratings

Load Class C 250

 Corrosion resistant black composite Heelquard™ grating

The ideal drainage channel for light to medium duty traffic applications

■ Applications: Domestic landscaping, public landscaping and car parks





Universal closing end cap



Ø110mm vertical outlet connector



Ø160mm vertical outlet connector



Ø110mm roddable foul air-trap



Ø160mm roddable foul air-trap



Sump unit with silt bucket



### ACO CivicDrain®

#### The ideal drainage channel for light to medium duty traffic applications

- High quality, high strength polymer concrete channel, suitable for light to medium duty traffic up to Load Class C 250
- Drainlock technology allows quick and simple installation of gratings

- Corrosion resistant black composite Heelquard™ grating
- Applications: Domestic landscaping, public landscaping and car parks









50mm Step connector



Multifunctional end cap



Universal sump with plastic silt bucket



Ø110mm drain union PVC-U




Ø110mm foul air-trap PVC-U



# Brickslot

The surface interface is defined by a discrete slot as opposed to a grating. This can be utilised by designers for aesthetic benefit without the need to compromise on the drainage capacity - as the channel body is still below ground.



www.aco.co.uk













Brickslot

- High quality polypropylene channel, suitable for pedestrian and cycle traffic up to Load Class A 15
- Compatible with up to and including 60mm deep block paving

- Channels clip together for quick and easy installation
- Applications: Pedestrian precincts, block paving, patios, paths and garage threshold





Access unit / corner unit with black plastic slotted grating and Ø110mm vertical outlet



Sump unit



Closing end cap



### ACO RainDrain® Brickslot B 125

#### For light duty projects where discreet channel drainage is required







- High quality polymer concrete channel with galvanised steel or stainless steel slotted grating. Stainless steel grates are less prone to corrosion
- Suitable for vehicle traffic up to Load Class B 125

- Ideal with paved surfaces, including block paving up to 60mm
- Channels interlock for quick and easy installation
- Applications: Driveways and small private car parks





Access channel



Sump unit with silt bucket



Corner unit with slotted galvanised steel grating



Closing end cap



Ø110mm horizontal foul air-trap




Ø110mm drain union



# Threshold Drainage

Typically a system designed to be installed at a building threshold to keep water out of the property, and prevent ponding at a building entrance.





#### **ACO Threshold Drain**

#### Slimline domestic level threshold door drainage

- High quality extruded plastic channel with aluminium or steel grating, reduces water ponding at house entrances
- The discreet system has a width of 60mm and is available with silver or black aluminium, CorTen steel or stainless steel Heelguard™ gratings
- Product is suitable for use in Building Regulations
   Part M compliant installations in England and Wales and Building
   Standards Section 4 compliant installations in Scotland
- Applications: Level thresholds









Outlet end cap Ø50mm



End cap



Bottom outlet Ø110mm



Silver aluminium grating corner unit



Black aluminium grating corner unit



CorTen steel grating corner unit



Threshold Drainage

Stainless steel grating corner unit



Threshold Drainage

## ACO DoorWay Drain

#### Unobtrusive high quality domestic threshold drainage

- High quality polypropylene threshold drainage channel, eliminates water ponding at house entrances
- Corrosion resistant two piece stainless steel Heelguard™ grating, suitable for pedestrian traffic

- Channels clip together for quick and easy installation
- Product is suitable for use in Building Regulations Part M compliant installations in England and Wales and Building Standards Section 4 compliant installations in Scotland.
- Applications: Level thresholds





DoorWay Drain comes with the above accessories consisting of 2 x end caps and Ø110mm vertical outlet



## ACO StepDrain

#### Slimline domestic level threshold door drainage

- High quality galvanised steel threshold drainage channel, eliminates water ponding at house entrances
- Corrosion resistant 304 stainless steel Heelguard™ grating, suitable for pedestrian traffic
- Available in 940mm and 1088mm lengths

- Product is suitable for use in Building Regulations Part M compliant installations in England and Wales and Building Standards Section 4 compliant installations in Scotland.
- Applications: Level thresholds













#### ACO DrainMat

#### Matwell domestic level threshold door drainage

- High quality matwell assembly, eliminates water ponding at house entrances
- Choice of four mat styles for use with a wide variety of external surface finishes

- Three base sizes available in two different materials
- Applications: External level thresholds





ACO DrainMat polypropylene base (image shows base with mat, mat supplied separately)



Galvanised steel mesh



Anthracite carpet and aluminium mat



Light grey carpet and aluminium mat



Black rubber and aluminium mat



Ø110mm drain union



# Landscaping Systems

Landscaping systems are designed to support the creation of useable spaces that adhere to SuDS guidelines.





#### ACO GroundGuard

## Award winning tile for ground reinforcement

- Stops grass rutting and gravel movement
- Robust system certified for loads up to 250 tonnes per m<sup>2</sup>
- 90% porous, providing effective drainage of surface water

 Applications: Access routes, caravan parks, domestic drives, paths, private and public parking areas







white or gre

Landscaping Systems

#### ACO GravelGuard

## Ground reinforcement tile for gravel applications

- Incorporated geotextle for reduced weed growth
- Extra-large mats (1176 x 1535 mm) for quick and easy installation
- Manufactured from 100% polypropylene

Applications: Paths and shed bases







## Domestic Stormwater Control

Economical solutions for water conservation in the home and garden.





#### ACO StormBrixx SD

#### Award winning domestic soakaway

- Enables compliance with current building regulations concerning rainwater runoff from drives
- Certified structural integrity for long life assurance

- Lightweight design for easy on site handling
- Applications: Gardens, drives and patios









Top covers



110mm / 160mm pipe connector



225mm / 300mm pipe connector



#### **ACO Backflow Valves**

#### Domestic backflow valves for flood protection

- Designed to prevent flooding resulting from sewer backflows
- The 3 backflow ranges are tested and conform to BS EN 13564
- All valves are designed for reliable operation and long life
- Applications: Basements





for grey water applications



**Triplex** – Type 2 passive anti-flooding device for grey water applications



**Quatrix** – Type 3 automated anti-flooding device for black and grey water application



# Roof Drainage

High performance drainage solutions for domestic roofs and balconies.





#### **ACO** Rainwater Outlets

### High performance rainwater outlets

- Manufactured from marine grade aluminium alloy and powder coated cast iron for high corrosion resistance
- 304 stainless steel fixings ensure long service durability and reliability

- Large range of outlets available to suit any flat roof applications
- Applications: Flat roofs, balconies, roof terraces









HP two-way screw outlet



HP 45 & 90° outlets



HP vertical screw outlet



HP balcony spigot outlet



HP refurbishment outlet



# Shower Drainage

Barrier free wetroom solutions.





## Barrier free wetroom drainage system

- High quality stainless steel
  Applications: Wetrooms shower channel system
- A wide range of grating designs are available to suit your decorative requirements













#### **ACO Shower Gullies**

#### Barrier free wetroom drainage system

- High quality stainless steel
  Applications: Wetrooms shower gullies system
- A wide range of grating designs are available to suit your decorative requirements



















Ouadrato

Wave

Mondo

Wellness

Classic

Arco

Perforated Square

Textured Square



## Blue Green Roofs

Systems for creating blue or blue/green roofs.



## **ACO RoofBloxx**

#### A complete roof water attenuation system for blue and blue/green roofs

- Enables creation of a drainage platform providing the design flexibility to create imaginative, multi-functional open green spaces at roof or podium level.
- Stormwater attenuation at shallow depth, suitable for use beneath both permeable and impermeable surfaces
- Passive irrigation attainable with capillary wick







#### ACO Water Management

A division of ACO Technologies plc ACO Business Park Hitchin Road Shefford Bedfordshire SG17 5TE

Tel: 01462 816666

Sales: customersupport@aco.co.uk Project pricing: awmprojects@aco.co.uk

Technical: technical@aco.co.uk

