



#### SELECTION INFORMATION

Grating Description	MultiDrain Mosaic Ductile Iron	Load Class	D 400
Pavement Finish	Small block paving	Lengths Available	0.5m

#### SPECIFICATION

Mosaic slotted ductile iron grating fitted with ACO Drainlock bar-less locking system. Designed for both pedestrian and medium duty vehicular traffic. Typical applications include pedestrian zones, landscaped areas and car parking. Load Class D 400.

Options: Security locking kit available.





**Channel system:** [ACO MultiDrain M100D with galvanised steel protective edge rails](#)  
[ACO MultiDrain M100PPD with galvanised steel protective edge rails](#)

Note: The information below is for the grating only. Channels sold separately.


#### PRODUCT DATA

Order Number	23417	Weight (kg)	4.1
Material	Ductile Iron	Slot width (mm)	10
Length (m)	0.5	Intake area (mm <sup>2</sup> /m)	28000
Width (mm)	123	Finish	ATec Black Coating

PART NUMBER TABLE	
DESCRIPTION	A Tec COATED
MOSAIC DUCTILE IRON	23417
GRATING WATER INTAKE AREA 28,000mm <sup>2</sup> /m	



NOTES:  
DIMENSIONS ARE FOR INDICATION ONLY AND MAY VARY DUE TO PART MANUFACTURING TOLERANCES AND INSTALLATION DETAILS

Version	Date	Description	Name
 ACO Technologies plc Created by: DEN Created at: 14.4.2015 Replacement for:	ACO Business Park Hilcote Road Sheffield Secton S61 7 9TE, UK Tel: 01462 816666 www.aco.co.uk	Drawing Number: E1-M01-081-1	Revision: A
		Title:	Part Number: 23417
ACO Technologies plc M100D MOSAIC DUCTILE IRON GRATING D400		Projection: ISO-A	Format: A3
Released by: JEC	Released at: 30.4.2015	Units: mm	Scale: 1:2
Replaced by:	Replaced by:	Information contained in this drawing is copyright property of ACO Technologies plc. Any reproduction in part or whole without written permission of ACO Technologies plc is prohibited	Sheet: 1 of 1